



INQUIRE ABOUT THIS PRODUCT

[BUY NOW](#)

# SR 4 SERIES HIGH PRESSURE CYLINDER REGULATOR

[OVERVIEW](#)

[DOCUMENTS AND SPECS](#)

[ORDERING INFORMATION](#)



## Documents

| Specifications |                   |
|----------------|-------------------|
| Case Material  | Brass             |
| Cylinder Gas   | Oxygen            |
| Diameter       | 63.5 mm (2.5 in.) |
| Model          | SR 4F-540         |
| Part Number    | 0781-1405         |
| Case Material  | Brass             |
| Cylinder Gas   | Oxygen            |
| Diameter       | 63.5 mm (2.5 in.) |
| Model          | SR 4G-540         |
| Part Number    | 0781-1425         |
| Case Material  | Brass             |
| Cylinder Gas   | Oxygen            |

|               |                   |
|---------------|-------------------|
| Diameter      | 63.5 mm (2.5 in.) |
| Model         | SR 4J-540         |
| Part Number   | 0781-1445         |
| Case Material | Brass             |
| Cylinder Gas  | Inert Gas         |
| Diameter      | 63.5 mm (2.5 in.) |
| Model         | SR 4F-580         |
| Part Number   | 0781-1408         |
| Case Material | Brass             |
| Cylinder Gas  | Inert Gas         |
| Diameter      | 63.5 mm (2.5 in.) |
| Model         | SR 4G-680         |
| Part Number   | 0781-1430         |
| Case Material | Brass             |
| Cylinder Gas  | Inert Gas         |
| Diameter      | 63.5 mm (2.5 in.) |
| Model         | SR 4J-580         |
| Part Number   | 0781-1448         |
| Case Material | Brass             |
| Cylinder Gas  | Air               |
| Diameter      | 63.5 mm (2.5 in.) |
| Model         | SR 4F-347         |
| Part Number   | 0781-1403         |
| Case Material | Brass             |
| Cylinder Gas  | Air               |
| Diameter      | 63.5 mm (2.5 in.) |
| Model         | SR 4G-346         |
| Part Number   | 0781-1422         |
| Case Material | Brass             |
| Cylinder Gas  | Air               |
| Diameter      | 63.5 mm (2.5 in.) |
| Model         | SR 4J-346         |
| Part Number   | 0781-1442         |
| Case Material | Brass             |

|               |                   |
|---------------|-------------------|
| Cylinder Gas  | Air               |
| Diameter      | 63.5 mm (2.5 in.) |
| Model         | SR 4K-347         |
| Part Number   | 0781-1463         |
| Case Material | Brass             |
| Cylinder Gas  | Methane, Hydrogen |
| Diameter      | 63.5 mm (2.5 in.) |
| Model         | SR 4F-350         |
| Part Number   | 0781-1404         |
| Case Material | Brass             |
| Cylinder Gas  | Methane, Hydrogen |
| Diameter      | 63.5 mm (2.5 in.) |
| Model         | SR 4G-350         |
| Part Number   | 0781-1424         |
| Case Material | Brass             |
| Cylinder Gas  | Methane, Hydrogen |
| Diameter      | 63.5 mm (2.5 in.) |
| Model         | SR 4J-350         |
| Part Number   | 0781-1444         |
| Case Material | Brass             |
| Cylinder Gas  | CO2               |
| Diameter      | 63.5 mm (2.5 in.) |
| Model         | SR 4F-320         |
| Part Number   | 0781-1401         |

|                        |               |
|------------------------|---------------|
| <b>Specifications</b>  |               |
| CGA Inlet              | 540           |
| CGA Outlet             | 1/4" Swaglok® |
| Delivery Range (imp)   | 30-750 psig   |
| Maximum Inlet Pressure | 3000 psig     |
| Model                  | SR4F-540      |
| CGA Inlet              | 540           |
| CGA Outlet             | 1/4" Swaglok® |
| Delivery Range (imp)   | 100-1500 psig |
| Maximum Inlet Pressure | 3000 psig     |

|                        |                |
|------------------------|----------------|
| Model                  | SR4G-540       |
| CGA Inlet              | 540            |
| CGA Outlet             | 1/4" Swagelok® |
| Delivery Range (imp)   | 200-3000 psig  |
| Maximum Inlet Pressure | 3000 psig      |
| Model                  | SR4J-540       |
| CGA Inlet              | 347            |
| CGA Outlet             | 1/4" Swagelok® |
| Delivery Range (imp)   | 50-750 psig    |
| Maximum Inlet Pressure | 5500 psig      |
| Model                  | SR4F-347       |
| CGA Inlet              | 346            |
| CGA Outlet             | 1/4" Swagelok  |
| Delivery Range (imp)   | 100-1500 psig  |
| Maximum Inlet Pressure | 3000 psig      |
| Model                  | SR4G-346       |
| CGA Inlet              | 346            |
| CGA Outlet             | 1/4" Swagelok  |
| Delivery Range (imp)   | 200-3000 psig  |
| Maximum Inlet Pressure | 3000 psig      |
| Model                  | SR4J-346       |
| CGA Inlet              | 347            |
| CGA Outlet             | 1/4" Swagelok  |
| Delivery Range (imp)   | 300-4500 psig  |
| Maximum Inlet Pressure | 5500 psig      |
| Model                  | SR4K-347       |
| CGA Inlet              | 580            |
| CGA Outlet             | 1/4" Swagelok® |
| Delivery Range (imp)   | 50-750 psig    |
| Maximum Inlet Pressure | 3000 psig      |
| Model                  | SR4F-580       |
| CGA Inlet              | 680            |
| CGA Outlet             | 1/4" Swagelok  |
| Delivery Range (imp)   | 50-750 psig    |

|                        |               |
|------------------------|---------------|
| Maximum Inlet Pressure | 5500 psig     |
| Model                  | SR4F-680      |
| CGA Inlet              | 580           |
| CGA Outlet             | 1/4" Swagelok |
| Delivery Range (imp)   | 100-1500 psig |
| Maximum Inlet Pressure | 3000 psig     |
| Model                  | SR4G-580      |
| CGA Inlet              | 680           |
| CGA Outlet             | 1/4" Swagelok |
| Delivery Range (imp)   | 100-1500 psig |
| Maximum Inlet Pressure | 5500 psig     |
| Model                  | SR4G-680      |
| CGA Inlet              | 580           |
| CGA Outlet             | 1/4" Swagelok |
| Delivery Range (imp)   | 200-3000 psig |
| Maximum Inlet Pressure | 3000 psig     |
| Model                  | SR4J-580      |
| CGA Inlet              | 680           |
| CGA Outlet             | 1/4" Swagelok |
| Delivery Range (imp)   | 200-3000 psig |
| Maximum Inlet Pressure | 5500 psig     |
| Model                  | SR4J-680      |
| CGA Inlet              | 677           |
| CGA Outlet             | 1/4" Swagelok |
| Delivery Range (imp)   | 200-3000 psig |
| Maximum Inlet Pressure | 7500 psig     |
| Model                  | SR4J-677      |
| CGA Inlet              | 680           |
| CGA Outlet             | 1/4" Swagelok |
| Delivery Range (imp)   | 300-4500 psig |
| Maximum Inlet Pressure | 5500 psig     |
| Model                  | SR4K-680      |
| CGA Inlet              | 677           |
| CGA Outlet             | 1/4" Swagelok |

|                           |                       |
|---------------------------|-----------------------|
| Delivery Range (imp)      | 300-4500 psig         |
| Maximum Inlet Pressure    | 7500 psig             |
| Model                     | SR4K-677              |
| CGA Inlet                 | 350                   |
| CGA Outlet                | 1/4" Swagelok®        |
| Delivery Range (imp)      | 50-750 psig           |
| Maximum Inlet Pressure    | 3000 psig             |
| Model                     | SR4F-350              |
| CGA Inlet                 | 350                   |
| CGA Outlet                | 1/4" Swagelok         |
| Delivery Range (imp)      | 100-1500 psig         |
| Maximum Inlet Pressure    | 3000 psig             |
| Model                     | SR4G-350              |
| CGA Inlet                 | 350                   |
| CGA Outlet                | 1/4" Swagelok         |
| Delivery Range (imp)      | 200-3000 psig         |
| Maximum Inlet Pressure    | 3000 psig             |
| Model                     | SR4J-350              |
| CGA Inlet                 | 320                   |
| CGA Outlet                | CGA 032 5/8" – 18 UNF |
| Delivery Range (imp)      | 50-750 psig           |
| Maximum Inlet Pressure    | 3000 psig             |
| Model                     | SR4F-320              |
| CGA Outlet                | 1/4"                  |
| Cylinder Gas              | Oxygen                |
| Maximum Delivery Pressure | 50-750 psig           |
| Maximum Inlet Pressure    | 5500-7500 psig        |
| Model                     | SR 4F-540             |
| CGA Outlet                | 1/4"                  |
| Cylinder Gas              | Oxygen                |
| Maximum Delivery Pressure | 100-1500 psig         |
| Model                     | SR 4G-540             |
| CGA Outlet                | 1/4"                  |
| Cylinder Gas              | Oxygen                |

|                           |                   |
|---------------------------|-------------------|
| Maximum Delivery Pressure | 200-3000 psig     |
| Model                     | SR 4J-540         |
| CGA Outlet                | 1/4"              |
| Cylinder Gas              | Inert Gas         |
| Maximum Delivery Pressure | 50-750 psig       |
| Model                     | SR 4F-580         |
| CGA Outlet                | 1/4"              |
| Cylinder Gas              | Inert Gas         |
| Maximum Delivery Pressure | 100-1500 psig     |
| Model                     | SR 4G-680         |
| CGA Outlet                | 1/4"              |
| Cylinder Gas              | Inert Gas         |
| Maximum Delivery Pressure | 200-3000 psig     |
| Model                     | SR 4J-580         |
| CGA Outlet                | 1/4"              |
| Cylinder Gas              | Air               |
| Maximum Delivery Pressure | 50-750 psig       |
| Model                     | SR 4F-347         |
| CGA Outlet                | 1/4"              |
| Cylinder Gas              | Air               |
| Maximum Delivery Pressure | 100-1500 psig     |
| Model                     | SR 4G-346         |
| CGA Outlet                | 1/4"              |
| Cylinder Gas              | Air               |
| Maximum Delivery Pressure | 200-3000 psig     |
| Model                     | SR 4J-346         |
| CGA Outlet                | 1/4"              |
| Cylinder Gas              | Air               |
| Maximum Delivery Pressure | 300-4500 psig     |
| Model                     | SR 4K-347         |
| CGA Outlet                | 1/4"              |
| Cylinder Gas              | Methane, Hydrogen |
| Maximum Delivery Pressure | 50-750 psig       |
| Model                     | SR 4F-350         |



|                           |                   |
|---------------------------|-------------------|
| CGA Outlet                | 1/4"              |
| Cylinder Gas              | Methane, Hydrogen |
| Maximum Delivery Pressure | 100-1500 psig     |
| Model                     | SR 4G-350         |
| CGA Outlet                | 1/4"              |
| Cylinder Gas              | Methane, Hydrogen |
| Maximum Delivery Pressure | 200-3000 psig     |
| Model                     | SR 4J-350         |
| CGA Outlet                | 1/4"              |
| Cylinder Gas              | CO2               |
| Maximum Delivery Pressure | 50-750 psig       |
| Model                     | SR 4F-320         |

(<https://plus.google.com/115697060530124940386>).